

Envoy

SONOCO
THERMOSAFE



EFFICIENT SEASONAL SOLUTIONS

Our Envoy series of cost effective shippers feature refrigerated, CRT, and frozen solutions in summer and winter configurations to maintain temperature control from 24 hours to 120+ hours.

Our Envoy Global Platform maintains strict temperature control and optimizes inventory utilizing only 4 shippers and five refrigerants to create 20 different solutions. These pre-qualified shippers are ideal for shipping pharmaceuticals, clinical treatments, and diagnostic samples.


Americas | Europe | Asia Pacific
thermosafe.com

ENVOY GLOBAL

SIMPLE SOLUTIONS with Economic Convenience

Numerous configurations available to meet a wide variety of temperature ranges and durations

- Pre-Qualified to our real-world ISCSilver® ambient profile
- Readily available in the US and the Europe
- Maintain strict temperature control from 2-8°C, 15-25°C, or -20°C
- Save on assembly time and space requirements by utilizing our ZERO Bench-Time® technology which allows our solutions to be packed out immediately
- Create up to 20 solutions using only 4 shippers and 5 types of bricks to reduce inventory



SPECIFICATIONS:

Temperature Range:
2-8°C, 15-25°C, < -20°C

Duration:
Refrigerated and CRT:
Minimum of 2 days
Frozen:
Minimum of 4 days

Packout Configuration:
Seasonal

Ambient Profile:
ISCSilver

Insulation:
Expanded Polystyrene (EPS)

ENVOY GLOBAL

AVAILABLE MODELS



| TEMPERATURE RANGE | PRODUCT CAPACITY (L) | WEIGHT lbs. [kgs] | | PAYLOAD in. [mm] | | | OD in. [mm] | | | PART NUMBER | |
|-------------------|----------------------|-------------------|-------------|------------------|-------------|---------------|-------------|-------------|-------------|-------------|--------|
| | | SUMMER | WINTER | L | W | H | L | W | H | SUMMER | WINTER |
| 2-8°C | 2.5 | 17.4 [7.9] | 12.4 [5.6] | 9.01 [229] | 7.99 [203] | 2.13 [54] | 16.7 [425] | 15.75 [400] | 16.26 [413] | E3R2S | E3R2W |
| 2-8°C | 6.4 | 23.4 [10.6] | 20.8 [9.4] | 8.86 [225] | 7.87 [200] | 5.63 [143] | 16.7 [425] | 15.75 [400] | 21.26 [540] | E6R2S | E6R2W |
| 2-8°C | 12.1 | 36.1 [16.4] | 28.9 [13.1] | 11.14 [283] | 9.6 [244] | 6.89 [175] | 20.51 [521] | 19.01 [483] | 20.75 [527] | E12R2S | E12R2W |
| 2-8°C | 24.1 | 63.3 [28.7] | 43.9 [19.9] | 19.76 [502] | 11.26 [286] | 6.61 [168] | 29.02 [737] | 20.51 [521] | 21.26 [540] | E24R2S | E24R2W |
| 15-25°C | 4.5 | 14.2 [6.4] | 10.0 [4.5] | 7.99 [203] | 7.01 [178] | 4.88 [124] | 16.7 [424] | 15.75 [400] | 16.26 [413] | E5C2S | E5C2W |
| 15-25°C | 8.1 | 19.2 [8.7] | 14.2 [6.4] | 7.99 [203] | 7.01 [178] | 8.87 [225] | 16.7 [424] | 15.75 [400] | 21.26 [540] | E8C2S | E8C2W |
| 15-25°C | 18.2 | 28.8 [13.1] | 19.4 [8.8] | 11.14 [283] | 9.61 [244] | 10.47 [10.87] | 20.51 [521] | 19.01 [483] | 20.75 [527] | E18C2S | E18C2W |
| 15-25°C | 39.6 | 49.8 [22.6] | 32.8 [14.9] | 19.76 [502] | 11.26 [286] | 10.87 [276] | 29.02 [737] | 20.51 [521] | 21.26 [540] | 440C2S | E40C2W |
| < -20°C | 2.5 | 23.8 [10.8] | | 9.01 [229] | 7.99 [203] | 2.13 [54] | 16.7 [424] | 15.75 [400] | 16.26 [413] | E3F4 | |
| < -20°C | 5.6 | 31.8 [14.4] | | 9.01 [229] | 7.99 [203] | 4.76 [121] | 16.7 [424] | 15.75 [400] | 21.26 [540] | E6F4 | |
| < -20°C | 12.1 | 49.2 [22.3] | | 11.14 [283] | 9.6 [244] | 6.89 [175] | 20.51 [521] | 19.01 [483] | 20.75 [527] | E12F4 | |
| < -20°C | 24.1 | 88.9 [40.3] | | 19.76 [502] | 11.26 [286] | 6.61 [168] | 29.02 [737] | 20.51 [521] | 21.26 [540] | E24F4 | |

ENVOY DIRECT

Envoy Direct Solutions are simple, economic designs providing cost effective temperature control for regional and national distribution of pharmaceuticals direct from the pharmacy.

- Ideal for next day delivery
- Simple and fast assembly drives operational efficiencies
- Uses minimal components with seasonal conditioning requirements to simplify inventory management
- Optimized dimensional weight reduces transportation costs
- Designed to withstand real-world ambient temperature environments
- 2 model classes assure the appropriate level of product protection for your needs

AVAILABLE MODELS REFRIGERATED COVERAGE

| PAYLOAD CAPACITY (L) | DIMENSIONAL WEIGHT (lbs.) | COMPONENTS | PAYLOAD ID (in.) | | | OD (in.) | | | SHIPPER PART NUMBER |
|----------------------|---------------------------|------------------------------------|------------------|------|------|----------|-------|-------|---------------------|
| | | | L | W | H | L | W | H | |
| <1 | 6 | Envelope, Gel Packs | 5.50 | 4.50 | 2.25 | 14.00 | N/A | 12.00 | BIE1412 |
| 3.5 | 13 | Foam Only Shipper, Gel Packs, Pads | 9.25 | 9.25 | 2.50 | 14.29 | 14.29 | 11.28 | ED4R1NC |
| 4.9 | 17 | Foam Only Shipper, Gel Packs, Pads | 10.75 | 9.25 | 3.00 | 15.86 | 14.31 | 12.00 | ED5R1NC |

2-8°C coverage measured in the center of the product area
Refrigerants sold separately

2-8°C COVERAGE

| PAYLOAD CAPACITY (L) | DIMENSIONAL WEIGHT (lbs.) | COMPONENTS | PAYLOAD ID (in.) | | | OD (in.) | | | SHIPPER PART NUMBER |
|----------------------|---------------------------|---------------------------------|------------------|------|------|----------|-------|-------|---------------------|
| | | | L | W | H | L | W | H | |
| 3.7 | 16 | Shipper, Corepack, Bricks, Pads | 9.00 | 9.00 | 3.00 | 14.88 | 15.04 | 12.47 | ED4R1 |
| 5.6 | 20 | Shipper, Corepack, Bricks, Pads | 10.38 | 8.88 | 3.38 | 16.50 | 15.15 | 13.12 | ED5R1 |

2-8°C coverage measured throughout the entire product area
Refrigerants sold separately